

JOURNAL PUBLICATIONS

KAROLEWICZ B, MACIAG D, O'DWYER G, STOCKMEIER CA, FEYISSA AM, RAJKOWSKA G. Reduced level of glutamic acid decarboxylase-67 kDa in the prefrontal cortex in major depression. *Int J Neuropsychopharmacology* 2009. doi:10.1017/S1461145709990587 (**NIHMS140135**).

FEYISSA AM, CHANDRAN A, STOCKMEIER CA, **KAROLEWICZ B**. Reduced levels of NR2A and NR2B subunits of NMDA receptor and PSD-95 in the prefrontal cortex in major depression. *Prog Neuropsychopharmacol Biol Psychiatry* 2009;33(1):70-5 (**PMC2655629**). [PubMed Link](#)

KAROLEWICZ B, Szebeni K, Gilmore T, Maciag D, Stockmeier CA, Ordway GA. Elevated levels of NR2A and PSD-95 in the lateral amygdala in depression. *Int J Neuropsychopharmacology* 2009;12(2):143-53 (**PMC2645479**). [PubMed Link](#)

KAROLEWICZ B, Johnson L, Szebeni K, Stockmeier CA, Ordway GA. Glutamate signaling proteins and tyrosine hydroxylase in the locus coeruleus of alcoholics. *J Psychiatr Res* 2008; 42:348-355. [PubMed Link](#)

Xiang L, Szebeni K, Szebeni A, Klimek V, Stockmeier CA, **KAROLEWICZ B**, Kalbfleisch J, Ordway GA. Dopamine receptor gene expression in human amygdaloid nuclei: elevated D4 receptor mRNAs in major depression. *Brain Res* 2008;1207:214-224 (**PMC2577810**). [PubMed Link](#)

Lopez J, Roffwarg HP, Dreher A, Bissette G, **KAROLEWICZ B**, Shaffery JP. Rapid eye movement sleep deprivation decreases long-term potentiation stability and affects some glutamatergic signaling proteins during hippocampal development. *Neuroscience* 2008;153:44-53 (**PMC2389877**). [PubMed Link](#)

Zhu H, **KAROLEWICZ B**, Nail E, Stockmeier CA, Szebeni K, Ordway GA. Normal [3H]flunitrazepam binding to GABA_A receptors in the locus coeruleus in major depression and suicide. *Brain Res* 2006; 1125:138-146. [PubMed Link](#)

KAROLEWICZ B, Klimek V, He Zhu, Szebeni K, Nail E, Stockmeier CA, Johnson L, Ordway GA. Effects of depression, cigarette smoking and age on monoamine oxidase B in amygdaloid nuclei. *Brain Res* 2005; 1043:57-64. [PubMed Link](#)

KAROLEWICZ B, Stockmeier CA, Ordway GA. Elevated levels of the NR2C subunit of the NMDA receptor in the locus coeruleus in depression. *Neuropsychopharmacology* 2005; 30:1557-1567. [PubMed Link](#)

KAROLEWICZ B, Szebeni K, Stockmeier CA, Konick L, Overholser JC, Jurjus G, Roth BL, Ordway GA. Low nNOS protein in the locus coeruleus in major depression. *J Neurochemistry* 2004; 91:1057-1066. [PubMed Link](#)

PUBLISHED ABSTRACTS

KAROLEWICZ B, FEYISSA AM, CHANDRAN A, LEGUTKO B, ORDWAY GA, RAJKOWSKA G, STOCKMEIER CA. Glutamate receptors expression in postmortem brain from depressed subjects. *Biological Psychiatry* 2009;65:177S.

LEGUTKO BD, OVERHOLSER J, JURJUS G, DIETER L, HERBST N, STOCKMEIER CA, **KAROLEWICZ B**. Analysis of AMPA receptor subunit GluR1 and phospho-Ser845-GluR1 in the prefrontal cortex in major depression. Washington DC, Society for Neuroscience 2008 ~ Abstract Viewer/Itinerary Planner, Presentation No. 821.16.

FEYISSA AM, ZYGA A, OVERHOLSER J, JURJUS G, DIETER L, HERBST N, STOCKMEIER CA, **KAROLEWICZ B**. Reduced NR2A and NR2B subunits of NMDA receptor in the prefrontal cortex in major depression. Washington DC, Society for Neuroscience 2008 ~ Abstract Viewer/Itinerary Planner, Presentation No. 843.2.

RAJKOWSKA G, MIGUEL-HIDALGO JJ, O'DWYER G, TELEKI Z, SRIVASTAVA K, STOCKMEIER CA, **KAROLEWICZ B**. GABAergic neurons immunoreactive for calcium binding proteins are reduced in the prefrontal cortex in major depression. *Biol Psychiatry* 2007;61:231S.

KAROLEWICZ B, RAJKOWSKA G, OVERHOLSER J, JURJUS G, DIETER L, HERBST N, STOCKMEIER CA, MACIAG D. Vesicular glutamate transporter in the prefrontal cortex in suicide victims. 2007 Society for Neuroscience Abstract Viewer/Itinerary Planner, Program No. 707.2.

MACIAG D, **KAROLEWICZ B**, O'DWYER, SRIVASTAVA K, OVERHOLSER J, JURJUS G, DIETER L, HERBST N, STOCKMEIER CA, RAJKOWSKA G. Decreased level of glutamic acid decarboxylase 67 kDa in the prefrontal cortex in major depression. 2007 Society for Neuroscience Abstract Viewer/Itinerary Planner, Program No. 707.1.

KAROLEWICZ B, MACIAG D, O'DWYER G, SRIVASTAVA K, OVERHOLSER J, JURJUS G, DIETER L, HERBST N, STOCKMEIER CA, RAJKOWSKA G. Reduction in GAD 67 but not GAD 65 in the postmortem prefrontal cortex in major depression. The American College of Neuropsychopharmacology, 46th Annual Meeting, December 9-13, 2007, Boca Raton, FL.

KAROLEWICZ B, JOHNSON L, STOCKMEIER CA, SZEBENI K, ORDWAY GA. NMDA receptor and associated intracellular proteins in amygdala and hippocampus in depression. 2006 Society for Neuroscience Abstract Viewer/Itinerary Planner, Program No. 191.5.

KAROLEWICZ B, JOHNSON L, MACIAG D, SZEBENI K, STOCKMEIER CA, ORDWAY GA. Glutamate signaling proteins in major depression. *Neuropsychopharmacology* Vol. 31, Suppl. 1, ACNP 45th Annual Meeting, December 3-7, 2006, Hollywood, FL.

KAROLEWICZ B, ROMERO MS, SZEBENI K, STOCKMEIER CA, ORDWAY GA. NMDA receptor and associated intracellular proteins in locus coeruleus of alcoholics. A preliminary study. *Biol Psychiatry* 2005;57:187S.

ORDWAY GA, STOCKMEIER CA, **KAROLEWICZ B**. Elevated Level of NR2C Subunit of NMDA receptor in locus coeruleus in depression. *Biol Psychiatry* 2005;57:25S.

KAROLEWICZ B, ROMERO MS, SZEBENI K, STOCKMEIER CA, JOHNSON L, ORDWAY GA. NMDA receptor subunits in the locus coeruleus in schizophrenics. 2005 Society for Neuroscience Abstract Viewer/Itinerary Planner, Program No. 675.15.

PUBLISHED ABSTRACTS (continued)

KAROLEWICZ B, Szebani K, Nail E, Hawkins W, Stockmeier CA, Roth BL, Overholser JC, Jurjus G, Ordway GA. Dopamine catabolic enzymes in amygdala in major depression. 2004 Society for Neuroscience Abstract Viewer/Itinerary Planner, Program No. 799.10.

KAROLEWICZ B, Szebani K, Nail E, Hawkins W, Stockmeier CA, Ordway GA. nNOS immunoreactivity in major depression: does brain pH affect nNOS protein integrity in postmortem human tissue? *Biol Psychiatry* 2004;54:841.